Certificate Number UL-CA-L364473-31-50219102-1

**Report Reference** E364473-20191205

Date 27-Jul-2020

Issued to: AOK LED Light Company Limited

East Suite (2/F, Plant 4, St George's Science and

Technology Industrial Park)

3/F, Building 1, St George's Science and Technology

**Industrial Park** 

North Side of Xinyu Road, Xinqiao Street Shenzhen,

Guangdong, China 518125

This is to certify that representative samples of

IFAM7 - Light-emitting-diode Surface-mounted Luminaires

Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





Certificate Number UL-CA-L364473-31-50219102-1

**Report Reference** E364473-20191205

Date 27-Jul-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AOK-100WoHL-HV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	シーシーシーシーシー
AOK-100WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	<u> </u>
AOK-150WoHL-HV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	
AOK-150WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	
AOK-240WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	<u>'                                    </u>
AOK-300WoHL-NV-XX-XXXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	. Mi Mi Mi Mi Mi
AOK-420WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	



Bruce Mahrenholz, Director North American Certification Program


UL LLC

Certificate Number UL-CA-L364473-31-50219102-1

**Report Reference** E364473-20191205

Date 27-Jul-2020

"XXXX" can be any digits for color temperature, "BN" can be any letter or digits for beam angles, "P" can be A or A1 for mounting means



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-US-L364473-11-50219102-1

**Report Reference** E364473-20191205

Date 27-Jul-2020

Issued to: AOK LED Light Company Limited

East Suite (2/F, Plant 4, St George's Science and

Technology Industrial Park)

3/F, Building 1, St George's Science and Technology

**Industrial Park** 

North Side of Xinyu Road, Xinqiao Street Shenzhen,

Guangdong, China 518125

This is to certify that representative samples of

IFAM - Light-emitting-diode Surface-mounted Luminaires

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 4th Ed., Issue Date: 2018-08-28

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.






Certificate Number UL-US-L364473-11-50219102-1

**Report Reference** E364473-20191205

Date 27-Jul-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AOK-100WoHL-HV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	シーシーシーシーシー
AOK-100WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	i )( Ui )( Ui )( Ui )( Ui )( Ui )(
AOK-150WoHL-HV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	
AOK-150WoHL-NV-XX-XXXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	
AOK-240WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	しれ リレル リレル リレル リレル
AOK-300WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	
"XXXX" can be any digits for color temperature, "BN"	
can be any letter or digits for beam angles, "P" can be A	
or A1 for mounting means	
AOK-420WoHL-NV-XX-XX-XXXX-BN-P, , where first	LED Surface Mounted Luminaire
"XX" can be any letter for manufacturer of LED, second	
"XX" can be SN or 00 for sensor provided or not, last	




Bruce Mahrenholz, Director North American Certification Program

Certificate Number UL-US-L364473-11-50219102-1

**Report Reference** E364473-20191205

Date 27-Jul-2020

"XXXX" can be any digits for color temperature, "BN" can be any letter or digits for beam angles, "P" can be A or A1 for mounting means



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

